

# FLOS

F3330009 White

## Glo-Ball Basic Zero Dimmer

Designed by Jasper Morrison, 2009




Halogen - 60W

Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide base. Gray painted, die-cast aluminum diffuser support. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607019269
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E14
Ilcos	HSGS
Number of heads	1
Power (W)	60

### Physical

Colour	White
Cord length (mm)	1900
Net weight (kg)	1
Package height (cm)	225
Package width (cm)	260
Package length (cm)	270
Package volume (m3)	0.02
IP internal	40

### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

### Photometric Files

[LDT / IES](#)  LDT

### Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



## Schematic light drawing



### Photometric

Lighting type	Total
Light distribution	Roto symmetric

### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No
Charging min time	No

## Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V  
2700K T28




NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V  
3000K T28


## Spare Parts



01. Glo-Ball Ceiling/Wall/Basic Zero  
diffuser assembly RF3335100

02. Lamp holder fitting e14 RF18844

**DOWNLOAD**





RF3335100  
Glo-Ball Ceiling/Wall/Basic Zero  
diffuser assembly



RF18844  
Lamp holder fitting e14