



Glo-Ball Basic Zero Switch

Designed by Jasper Morrison, 2009



Halogen - 60W

Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide base. Gray painted, die-cast aluminum diffuser support.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607019320
Mounting	Table
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E14
Ilcos	HSGS
Number of lamps	1
Power (W)	60

Physical

Colour	White
Length (mm)	190
Cord colour	Black
Cord length (mm)	1900
Net weight (kg)	1
Package height (mm)	225
Package width (mm)	260
Package length (mm)	270
Package volume (m3)	0.02
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	<u>⊀</u> ZIP
3D	⊥ ZIP
₿Bim	.↓. ZIP





















https://professional.flos.com/en/global/product/glo-ball-basic-zero-switch-f3331009/

F3331009

Schematic light drawing




Photometric

Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No





NOT INCLUDED

RF37192


LED Lamp 7,5W E14 220-240V 2700K T28


NOT INCLUDED

RF37193

LED Lamp 7,5W E14 220-240V 2700K T28

Spare Parts





- Glo-Ball Ceiling/Wall/Basic Zero RF3335100 diffuser assembly
- 02. Lamp holder fitting e14 RF18844





RF3335100

Glo-Ball Ceiling/Wall/Basic Zero diffuser assembly

RF18844

Lamp holder fitting e14