

# FLOS

F3032020 Silver

## Glo-Ball Floor 2

Designed by Jasper Morrison, 1998


Halogen - 150W



Floor lamp providing diffused light. Diffuser consisting of an externally acid-etched, hand blown, flashed opaline glass and a die-cast threaded ring nut with alodine plating finish. Gray or black painted high-thickness steel base and stem and die-cast aluminum diffuser support. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

|                   |                     |
|-------------------|---------------------|
| EAN               | 8059607002582       |
| Mounting          | Floor               |
| Environments      | Indoor dry location |
| Light Source Type | Bulb                |
| Lamp category     | Halogen             |
| Lamp holders      | E27                 |
| Ilcos             | HSGS                |
| Number of heads   | 1                   |
| Power (W)         | 150                 |

### Physical

|                     |        |
|---------------------|--------|
| Colour              | Silver |
| Length (mm)         | 330    |
| Cord length (mm)    | 1800   |
| Net weight (kg)     | 12.56  |
| Package volume (m3) | 0.34   |
| IP internal         | 20     |

### Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)

### Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)

[Bim](#) [↓ ZIP](#)



## Schematic light drawing



### Photometric

|                    |                |
|--------------------|----------------|
| Lighting type      | Total          |
| Light distribution | Roto symmetric |
| Extreme cut off    | No             |

### Electrical

|                      |                   |
|----------------------|-------------------|
| Insulation class     | II                |
| Frequency (Hz)       | 50/60             |
| Main voltage (Vac)   | 220-240           |
| LED voltage Vf (Vdc) | null              |
| Dimmable             | Yes               |
| Dimming interface    | Dimmer Integrated |
| Plug type            | Type C            |
| Batteries inside     | No                |

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Glo-Ball 1 opal diffuser. Grey<br>Base        | F3050061  |
| 02. | Led rondo' dimmer 220/240v 40-<br>250w 4-100w | RF28045   |
| 03. | New version lamp holder                       | RF2500200 |
| 04. | Kit of 5 white feed pads for base             | RF3020100 |

**DOWNLOAD**



F3050061

Glo-Ball 1 opal diffuser. Grey Base



RF28045

Led rondo' dimmer 220/240v 40-250w 4-100w



RF2500200

New version lamp holder



RF3020100

Kit of 5 white feed pads for base