


FLOS

FU315054 Natural

IPNOS OUTDOOR Anodized Natural

Designed by Nicoletta Rossi and Guido Bianchi, 2014




15W - 2700K - CRI> 85

Created by the dynamic team of Rossi and Bianchi, the IPNOS outdoor floor lamp mixes illusion with function-and the result is nothing short of magical. LED lights line the top of its extruded aluminum frame, which is anodized in various finishes. Transparent PC (polycarbonate) diffusers protect the light source. There is a driver on the plug; the on/off switch is on the cord. Inspiration behind the design: Filling a seemingly blank space with light, Nicoletta Rossi and Guido Bianchi illustrate that even the objects we consider purely functional have the potential to amaze us.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607028636
Mounting	Floor
Environments	Indoor Outdoor wet location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	15

Physical

Color	Natural
Length (in)	13.78
Cord color	Black
Net weight (lb)	2.54
Package height (in)	18.31
Package width (in)	29.33
Package length (in)	18.31
Package volume (in)	9830.23
IP internal	55

Download

Mounting instructions [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)

Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)



IP
55

Schematic light drawing



Beam Angle: 49°

h(m)	E(lx)	D(m)
1	396	0.91
2	99	1.82
3	44	2.72
4	25	3.63
5	16	4.54

Luminous flux Luminaire
665 lm

Photometric

Light distribution	Symmetric
CCT (K)	2700
CRI>	85
Extreme cut off	No

Electrical


Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Integrated
Dimmable	No
Dimming type	Non Dimmable
Dimming interface	Not Dimmable
Plug type	Type A
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only)
light source by a
professional



Replaceable control
gear by a professional

Accessories & Power Supply



OPTIONAL
Accessory

F3125000

Ipnos Top Plate