


KTribe Floor 2

Designed by Philippe Starck, 2006

Halogen - 150W



Subtle yet striking, the KTribe floor lamp by Philippe Starck provides diffused light through a transparent diffuser that gracefully moves the eye upward. The base, rod support, and diffuser support are die-cast, polished, and chrome-plated Zamak alloy. The rod is polished aluminum. The opal inner diffuser and support for the lamp holder are injection-molded PC (polycarbonate). Outer diffusers are transparent PMMA (Polymethyl methacrylate), available in silver or bronze. The upper ring is injection-molded PC, and is completely transparent (or transparent brown for the outer bronze diffuser). Inspiration behind the design: French designer Philippe Starck is known for an ability to create objects that "demand the most from the least," and the Ktribe-F is no exception. Streamlined and smart, it pushes boundaries while reflecting his focus on positive reduction and environmental consciousness.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

| | |
|------------------------|---------------------|
| Mounting | Floor |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Light sources included | No |
| Lamp category | Halogen |
| Lamp type | T Shielded |
| Lamp holders | E26 |
| Number of lamps | 1 |
| Power (W) | 150 |

Physical

| | |
|---------------------|-------------|
| Color | Transparent |
| Length (in) | 15.55 |
| Cord color | Black |
| Cord length (in) | 79.134 |
| Net weight (lb) | 14.77 |
| Package volume (in) | 22272.29 |
| IP internal | 20 |

Download

Mounting instructions

PDF

Mounting instructions

PDF




Photometric

| | |
|--------------------|------------------|
| Lighting type | Indirect, Direct |
| Light distribution | Symmetric |
| Extreme cut off | No |

Electrical

| | |
|--------------------|-------------------|
| Insulation class | II |
| Frequency (Hz) | 60 |
| Main voltage (Vac) | 120 |
| Dimmable | Yes |
| Dimming interface | Dimmer Integrated |
| Plug type | Type A |
| Batteries inside | No |

Spare Parts



- 01. Transparent Diffuser Assembly F6278000
- 02. 4W -25W Black Led Dimmer RF28209
- 03. Kit of 5 white feed pads for base RF3020100



F6278000

Transparent Diffuser Assembly



RF28209

4W -25W Black Led Dimmer



RF3020100

Kit of 5 white feed pads for base