

# FLOS



F6257046 Aluminized Bronze

## KTribe Suspension 2

Designed by Philippe Starck, 2005




Halogen - 150W

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Three stainless steel cables, length 4000 mm for suspension of the diffuser assembly. White ceiling rose.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

EAN	8059607021446
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Iicos	HSGS
Number of lamps	1
Power (W)	150

### Physical

Colour	Aluminized Bronze
Length (mm)	395
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	White
Canopy length/diameter (mm)	114
Canopy height (mm)	19
Net weight (kg)	2.45
Package height (mm)	420
Package width (mm)	480
Package length (mm)	480
Package volume (m3)	0.1
IP internal	20

### Download

Mounting instructions [↓ PDF](#)


### Photometric Files

LDT / IES [↓ LDT](#)


### Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



## Schematic light drawing



Beam Angle: 85°

h(m)	E(lx)	D(m)
1	152	1.83
2	38	3.66
3	17	5.49
4	9	7.31
5	6	9.14

Luminous flux luminaire  
2377 lm

## Photometric

Light distribution Asymmetric

Extreme cut off No

## Electrical

Insulation class II

Frequency (Hz) 50/60


Main voltage (Vac) 220-250

Dimmable Yes

Dimming interface Remote Dimmable  
(Dimmer Not Included)

Batteries inside No

## Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K  
DIMMER




NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K  
A65 Dimmable

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | S2/S3 ceiling rose assembly                            | RF6257001 |
| 02. | 5 meter sil/fep 2x0,75<br>transparent electrical cable | RF4190200 |
| 03. | Steel cable packed 3 pieces mt.<br>3                   | RF29875   |
| 04. | Wiring assembly and external<br>diffuser with support  | RF6257003 |
| 05. | Ktribe S2 calibre internal diffuser                    | RF19802   |



RF6257001  
S2/S3 ceiling rose assembly



RF4190200  
5 meter sil/fep 2x0,75  
transparent electrical cable



RF29875  
Steel cable packed 3 pieces mt. 3



RF6257003  
Wiring assembly and external  
diffuser with support



RF19802  
Ktribe S2 calibre internal diffuser