

# FLOS

FU630304 Aluminized Silver

## KTribe Table 2

Designed by Philippe Starck, 2007


Halogen - 100W



A member of the Ktribe family of products, this inspiring table light provides diffused light through a transparent diffuser that gracefully moves the eye upward. The base, rod, and diffuser support are die-cast, polished Zamak alloy. It features polished aluminum tubular and an injection-molded, matte black PA (nylon) base cover. The opal inner diffuser is injection-molded PC (polycarbonate). The outer diffuser is transparent or fum&egrave;re PMMA (polymethyl methacrylate). Inspiration behind the design: Designer Philippe Starck is known for an ability to create objects that "demand the most from the least," and the Ktribe family of products is no exception to that rule. Streamlined and smart, it pushes boundaries while reflecting his focus on positive reduction and environmental consciousness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications


|                        |                     |
|------------------------|---------------------|
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light Source Type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp type              | T                   |
| Lamp holders           | E26                 |
| Number of lamps        | 1                   |
| Power (W)              | 100                 |

### Physical

|                     |                   |
|---------------------|-------------------|
| Color               | Aluminized Silver |
| Length (in)         | 15.55             |
| Cord color          | Black             |
| Cord length (in)    | 64.567            |
| Net weight (lb)     | 9.92              |
| Package volume (in) | 10829.99          |
| IP internal         | 20                |

### Download

Mounting instructions



Photometric

|                    |                  |
|--------------------|------------------|
| Lighting type      | Indirect, Direct |
| Light distribution | Symmetric        |
| Extreme cut off    | No               |

Electrical

|                    |                   |
|--------------------|-------------------|
| Insulation class   | II                |
| Frequency (Hz)     | 60                |
| Main voltage (Vac) | 120               |
| Dimmable           | Yes               |
| Dimming interface  | Dimmer Integrated |
| Plug type          | Type A            |
| Batteries inside   | No                |



02.      Black Dimmer Switch      RF28206



RF28206

Black Dimmer Switch