

FLOS

 F004C20A018 Deep Brown

Landlord Soft PWM Dimmable Deep Brown

Designed by Piero Lissoni, 2018



COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary

Change settings

Accept all



Photometric


Light distribution	Symmetric
CCT (K)	2700
CRI>	80
Beam angle C0-180 (°)	51
Beam angle C90-270 (°)	51
Extreme cut off	No

Electrical

Insulation class	III
Main voltage (Vac)	24
Power supply	Remote excluded
Dimmable	Yes
Power supply type	Non Dimmable, Dimmable DALI PWM, Dimmable 1-10 PWM
Dimming interface	Remote Dimmable (Dimmer Not

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only)
light source by a
professional

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary

Change settings

Accept all

intensity of some of these phenomenon and prevent irreversible damages. The selection of the type of device to be used must be adjust on the electrical plant.



COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary

Change settings

Accept all



REQUIRED
Accessory

F004Z030018

Pole with base H 900 mm Deep



REQUIRED
Power supply

RF25754

'Power supply dual function Vout



REQUIRED
Accessory

F004Z020018

Pole with base H 600 mm Deep



REQUIRED
Accessory

F004Z010018

Pole with base H 300 mm Deep

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary

Change settings

Accept all



REQUIRED
Power supply

F990B23AZ00

Power supply 24Vdc 35W /120-



REQUIRED
Power supply

F990B27A000

Power supply 24Vdc 70W / 220-



OPTIONAL
Accessory

F990C00A000

2 way terminal block 4 poles IP68



OPTIONAL
Accessory

F004Z060000

Earth stick

COOKIES

Flos S.p.A. use functional, analytical, profiling and marketing cookies (and similar technologies), placed by themselves and third parties, in order to measure the use of, optimise and further develop our website, as well as for (personalised) advertising purposes and to monitor and analyse your internet behaviour.

By clicking on "Refuse unnecessary" only technical/functionality cookies will be installed. By clicking on "Accept all" you consent to the use of all the cookies. By clicking on "Change settings" you can accept or refuse cookies on the basis on your preferences and save your choices. You can modify your options anytime. To know more refer to our [Cookie Policy](#).

Refuse unnecessary

Change settings

Accept all