

# FLOS

F3694059 Polished Brass


## Last Order Fluted

Designed by Michael Anastassiades, 2020

3W - 87lm - 2700K - CRI> 90



Last Order is a continuation of the table light that was originally designed for the new Four Seasons restaurant in New York City, which relocated and opened in 2018 with the interiors designed by S&tilde;o Paolo-based architect Isay Weinfeld. It is a rechargeable, portable table lamp that diffuses light through a transparent solid crystal base whose shape makes reference to architectural typology of the ancient column. The top cover comes in a combination of different metal and color finishes: stainless steel, brass, satin copper or matte green. Features Indoor use only: Copper & Brass Outdoor and indoor use: Stainless Steel & Matte Green Autonomous usage lasts between 6 hours (at full power) and 24 hours Charges via USB-C 3-step dimmer : 100% intensity, 50% intensity, 3% intensity "Night shift" mode - Dims directly to 3% intensity when pressing and holding the optical sensor.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607030523
Mounting	Portable
Environments	Indoor wet location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	3
System flux (lm)	87

### Physical

Color	Polished Brass
Length (in)	4.41
Net weight (lb)	4.49
Package volume (in)	540.67
IP internal	55

### Download

<a href="#">Mounting instructions</a>	<a href="#">PDF</a>
<a href="#">Dimmers or chargers compatible</a>	<a href="#">PDF</a>

### Photometric Files

<a href="#">LDT / IES</a>	<a href="#">LDT</a>
---------------------------	---------------------

### Technical Drawings

<a href="#">3D</a>	<a href="#">ZIP</a>
--------------------	---------------------



## Schematic light drawing



## Photometric


Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

## Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 5V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	Yes
Battery type	LI-PO
Charging socket/connector	USB-C

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Last Order Polished steel top cover         | F3692059  |
| 02. | Last Order Led body assembly                | RF36267   |
| 03. | Last Order Crystal fluted base              | RF29125   |
| 04. | Power charger with electrical cable & plugs | RF1035109 |



F3692059  
Last Order Polished steel top  
cover



RF36267  
Last Order Led body assembly



RF29125  
Last Order Crystal fluted base



RF1035109  
Power charger with electrical  
cable & plugs