



# **Light Shadow Spot 60 Non Dimmable**

Designed by FLOS Architectural, 2022




11W - 876lm - 4000K - CRI> 90 - Beam° 9

Projector to be installed on threephase track with LED light source. Built-in 220-240V, 50-60Hz power supply. All finishes come with black track adapter, arm and back of the head. In the "all white" versions the track adapter, arm and back of the head come in white. The display is always offered in high loss technical black antiglare finish. For other finishes, please consult us.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



## Main specifications

Mounting	Irack
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED array
Number of lamps	1
Power (W)	11
Source flux (lm)	915
Lumen Output (lm)	876

### Physical

Colour	White/White
Orientation	Adjustable
Rotation (°)	360
Longitudinal tilting (°)	90
Net weight (kg)	0.5
IP internal	20



Mounting instructions



Photometric Files

LDT / IES



**Technical Drawings** 

2D	<b>⊥</b> ZIP
3D	<u>↓</u> ZIP













https://professional.flos.com/en/global/product/light-shadow-spot-60-non-dimmable-05.9240.40.78/

05.9240.40.78

# Schematic light drawing



Bea	am Angle:	9°
h(n	n) E(lx)	D(m)
1_	28538	0.16
2	7134	0.32
3	3171	0.48
4	1784	0.64
5	1142	0.80

Luminous flux luminaire 876 lm

#### Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	4000
CRI>	90
Rf fidelity index	92
Rg gamut index	99
LED Life / Failure Ratio	L80B50>47.000h_Tc85°C
Beam angle C0-180 (°)	9
Beam angle C90-270 (°)	9
UGR <sub>L</sub>	<10

#### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED current (mA)	250
Power supply	Integrated
Power supply Dimmable	No No

# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class **G** 



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

### **Accessories & Power Supply**



OPTIONAL Accessory

08 0175 14

Honeycomb



OPTIONAL Accessory

08.0176.14

Honeycomb



OPTIONAL Filter

Optical

08.0796.00

CCT Increaser Filter D58



OPTIONAL Filter

Optical

08.0797.0

CCT Decreaser Filter D12



OPTIONAL Filter

Optical

08 0798 00

CCT Increaser Filter D58



**OPTIONAL** 

Filter

Optical

08 0799 00

CCT Decreaser Filter D12