



F0285000 Black

Noctambule Floor 1 High Cylinder Small Base

Designed by Konstantin Grcic, 2019

18W - 497lm - 2700K



Noctambule LED dimmable floor lamp short cylinders with small base is a flamboyant, yet functional modern floor lamp lighting fixture crafted by the worldclass designer Konstantin Grcic for FLOS. An innovative lamp that is practical and exquisite in equal measure, the product is available in an array of interesting designs. One of the highlighting aspects of this fixture is that it is very dynamic in nature. The lighting system has a transparent hand-blown glass cylinder as its foundation, which is surrounded on top and at the bottom by LED technology. Users can configure this as a pendant lamp or a standing lamp by using its additional components. Putting together these units can help form columns of light at different heights that illuminate at the intersecting points between these modules. Inspiration behind the design: Inspired by night owls, Noctambule by Konstantin Grcic features a transparent body that almost blends into a room when unlit, but makes its presence known when it illuminates at night. Noctambule means night owl in French.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607000786		
Mounting	Floor		
Environments	Indoor dry location		
Light Source Type	LED		
Light sources included	Yes		
LED type	LED Module		
Power (W)	18		
System flux (lm)	497		

Physical

Color	Black
Length (in)	9.84
Cord color	Black
Cord length (in)	70.866
Net weight (lb)	23.81
Package volume (in)	7515.71
IP internal	20

Download	
Mounting instructions	₩ PDF
Mounting instructions	↓ PDF

Photometric Files

LDT / IES

J. ZIP

Technical Drawings

↓ ZIP

https://professional.flos.com/en-US/us/product/noctambule-floor-1-high-cylinder-small-base-f0285000/

F0285000
























Schematic light drawing



Luminous flux luminaire

Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E





Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Spare Parts





03.	Noctambule Floor Terminal cap	F0293030
04.	Fixing screws kit	RF0254100
05.	Ring led diffuser	RF27498
06.	Noctambule High Cylinder	F0257000
07.	Black plug assembly kit & 48V	RF6600130
	driver	
08.	Noctambule switch dimmer	RF37082
	assembly (with EMC filter)	
09.	Noctambule Floor Small base	F0261030
10.	Noctambule F n°5 adjustable	RF0254200
	feet kit	









F0293030

Noctambule Floor Terminal cap

RF0254100

Fixing screws kit

RF27498

Ring led diffuser

F0257000

Noctambule High Cylinder



DE6600130

Black plug assembly kit & 48V driver



DE37093

Noctambule switch dimmer assembly (with EMC filter)



E0261030

Noctambule Floor Small base



E0254200

Noctambule F n°5 adjustable feet