

FLOS

F4633009 White

Overlap Suspension 1

Designed by Michael Anastassiades, 2018




Halogen - 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in Polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama Polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications


| | |
|------------------------|---------------------|
| EAN | 8059607020098 |
| Mounting | Suspension |
| Environments | Indoor dry location |
| Light source type | Bulb |
| Light sources included | No |
| Lamp category | Halogen |
| Lamp holders | E27 |
| Iicos | HSGS |
| Number of lamps | 1 |
| Power (W) | 105 |


Physical

| | |
|-----------------------------|-------|
| Colour | White |
| Length (mm) | 655 |
| Cord colour | White |
| Cord length (mm) | 2700 |
| Canopy colour | Gold |
| Canopy length/diameter (mm) | 113 |
| Canopy height (mm) | 32 |
| Net weight (kg) | 5.6 |
| Package height (mm) | 1000 |
| Package width (mm) | 650 |
| Package length (mm) | 650 |
| Package volume (m3) | 0.42 |
| IP internal | 20 |

Download

[Mounting instructions](#)  PDF

[Mounting instructions](#)  PDF



Photometric

| | |
|--------------------|------------|
| Light distribution | Asymmetric |
| Extreme cut off | No |

Electrical

| | |
|--------------------|--|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | Yes |
| Dimming interface | Remote Dimmable (Dimmer Not Included) |
| Batteries inside | No |

Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Complete rose | RF4630159 |
| 02. | Kit with screws and allen key | RF3160100 |
| 03. | 3 mt steel cable \varnothing 1,2 with 19 winded wires | RF29665 |
| 03. | 4mt steel wire \varnothing 1,2 with 19 winded wires | RF01089 |



RF4630159
Complete rose



RF3160100
Kit with screws and allen key



RF29665
3 mt steel cable \varnothing 1,2 with 19
winded wires



RF01089
4mt steel wire \varnothing 1,2 with 19
winded wires