

# FLOS

F4633009 White

## Overlap Suspension 1

Designed by Michael Anastassiades, 2018




Halogen - 105W

Suspended lamp with diffused light. Internal structure in white powder painted steel. Resin diffuser Cocoon sprayed on the structure, with a transparent protection created by spraying at the end of the machining, ring for substitution of printed steel diffuser in Polished, Gold-plated "Galvanic" finish. Die-cast rose in Zama Polished and Gold-plated "Galvanic" finish.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications


EAN	8059607020098
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	105

### Physical

Colour	White
Length (mm)	655
Cord length (mm)	2700
Canopy dimension (mm)	32
Canopy width (mm)	113
Net weight (kg)	5.6
Package height (mm)	1000
Package width (mm)	650
Package length (mm)	650
Package volume (m3)	0.42
IP internal	20

### Download

Mounting instructions	↓ PDF
Mounting instructions	↓ PDF
Spare Parts	↓ PDF



## Photometric

Light distribution	Asymmetric
Extreme cut off	No

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Complete rose                                 | RF4630159 |
| 02. | Kit with screws and allen key                 | RF3160100 |
| 03. | 4mt steel wire Ø1,2 with 19<br>winded wires   | RF01089   |
| 03. | 3 mt steel cable ø1,2 with 19<br>winded wires | RF29665   |

**DOWNLOAD**



RF4630159  
Complete rose



RF3160100  
Kit with screws and allen key



RF01089  
4m steel wire  $\varnothing$ 1,2 with 19  
winded wires



RF29665  
3 mt steel cable  $\varnothing$ 1,2 with 19  
winded wires