

FLOS

F5400009 White

Parentesi

Designed by Achille Castiglioni and Pio Manzu, 1971


Halogen - 150W



Lamp providing direct light. Lamp moves vertically via sliding of a painted or nickel-plated shaped steel tube on a ceiling-to-floor steel cable (4000 mm long). Fixture head made of injection-molded black elastomer housing a switch. Length of power cord from lamp-holder 4000 mm. Net weight 3 kg.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

| | |
|------------------------|---------------------|
| EAN | 8059607020265 |
| Mounting | Suspension |
| Environments | Indoor dry location |
| Light source type | Bulb |
| Light sources included | No |
| Lamp category | Halogen |
| Lamp holders | E27 |
| Ilcos | HSGSR |
| Number of lamps | 1 |
| Power (W) | 150 |

Physical

| | |
|-----------------------------|-------|
| Colour | White |
| Length (mm) | 110 |
| Cord colour | Black |
| Cord length (mm) | 4000 |
| Canopy colour | White |
| Canopy length/diameter (mm) | 64 |
| Canopy height (mm) | 20 |
| Net weight (kg) | 3.2 |
| Package height (mm) | 90 |
| Package width (mm) | 150 |
| Package length (mm) | 610 |
| Package volume (m3) | 0.01 |
| IP internal | 20 |

Download

[Mounting instructions](#) PDF

Photometric Files

[LDT / IES](#) LDT

Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



Schematic light drawing



Photometric

| | |
|--------------------|-----------|
| Light distribution | Symmetric |
| Extreme cut off | No |

Electrical

| | |
|--------------------|--|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | Yes |
| Dimming interface | Switch Integrated (Remote Dimmable) |
| Plug type | Type C |
| Batteries inside | No |

Accessories & Power Supply




OPTIONAL

F5500009

Parentesi Element


Bulbs



NOT INCLUDED

RF35355

LED Lamp 13W E27 220-240V
2700K R125




NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V
2700K R125

Spare Parts



| | | |
|-----|--|-----------|
| 01. | Complete white rose | RF5400109 |
| 02. | Anchor hook screw | RF06745 |
| 03. | Parentesi 4m steel cable | RF01442 |
| 03. | Parentesi 6m steel cable | RF01444 |
| 04. | White tube | RF02599 |
| 05. | Parentesi inox turnbuckle & grub screw | RF01438 |
| 06. | Base for Parentesi & Pasentesi D | RF5601600 |
| 07. | Hook + nut | RF06747 |
| 08. | Parentesi switch assembly | RF04633 |
| 09. | Parentesi rubber support | RF35511 |
| 12. | Kit wire ties and screw | RF5600200 |



RF5400109
Complete white rose



RF06745
Anchor hook screw



RF01442
Parentesi 4m steel cable



RF01444
Parentesi 6m steel cable



RF02599
White tube



RF01438
Parentesi inox turnbuckle & grub screw



RF5601600
Base for Parentesi & Pasentesi D



RF06747
Hook + nut



RF04633

Parentesi switch assembly



RF35511

Parentesi rubber support



RF5600200

Kit wire ties and screw