

FA52515001 White

Perseo 2 Opal NEW

Designed by FLOS Outdoor, 2012




LED source included. Integrated electrical power supply 220-240V ON- OFF. Fixing bracket included. Equipped with a 700 mm protruding section of neoprene cable and a kit with crimpable connectors and adhesive heat-shrinkable sleeves that guarantee the tightness of the connection. Optional accessories: ground spike; feet for ground mounting and arms for wall mounting (IP68 connector included). Frosted glass.

Are you a professional and your project needs consulting and support?

**BOOK AN APPOINTMENT** 

White



# Main specifications

EAN	8054793646916
Mounting	Wall, Ground
Environments	Outdoor wet location
Light source type	LED
Light sources included	Yes
LED type	Power LED
Number of lamps	1
System power (W)	11
Source flux (lm)	1114
Lumen Output (lm)	580

### **Physical**

	VVIIICC
Orientation	Adjustable
Longitudinal tilting (°)	200
Net weight (kg)	0.97
Package height (mm)	85
Package width (mm)	140
Package length (mm)	235
IP internal	65

#### Download

Mounting instructions



# **Ecodesign and Energy** Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

https://professional.flos.com/en/global/product/perseo-2-opal-fa52515001/

FA52515001

#### Photometric

Light distribution	Symmetric
CCT (K)	2700
CRI>	80
Beam angle C0-180 (°)	88
Beam angle C90-270 (°)	100
Extreme cut off	No

#### Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Power supply	Integrated
Dimmable	No
Power supply type	No Dimmable

#### Notes

Please check with your referent person in our Front Office if a code modification is needed to meet the required certification compliance

#### **Accessories & Power Supply**



OPTIONAL Accessory

F990F00A000

S.P.D. (SURGE PROTECTION DEVICE)



OPTIONAL Accessory

FA136

Ground Spike Aimer 1/Aimer 2/Aimer 3/Perseo 2



#### OPTIONAL Accessory

FA182

Base Plate and Fixing Bolts Perseo 2



#### OPTIONAL Accessory

FA17801

Pole with base Perseo 2 h 800 mm



#### OPTIONAL Accessory

FA17701

Pole with base Perseo 2 h 500 mm



## OPTIONAL Accessory

FA16201

Wall Bracket/Pole 600 mm Perseo 2



# OPTIONAL Accessory

FA16101

Wall Bracket/Pole 300 mm Perseo