



Ray Floor 2

Designed by Rodolfo Dordoni, 2006



Halogen - 200W

Designed by Rodolfo Dordoni in 2006, the Ray F floor lamp updates a classic shape to give it a decidedly contemporary edge. The steel tube structure of this modern floor lamp is welded, brushed, and chrome-plated, and its diffuser support disk is die-cast, polished, and chrome-plated with Zamak alloy. The lamp has a resistive dimmer wired on the cord, offering a 0-100% lighting adjustment. The power cord is a black PVC/PVC (flat) sheath. Inspiration behind the Design: Offering a fresh perspective on an iconic shape, Rudolfo Dordoni designed his modern drum diffuser to resemble a lighthouse. "The stand that supports the light source is an elementary structure," he says. "It is part lighthouse, part power pylon." Note: This lamp ships with an halogen bulb and it is compatible with LED bulbs. The Ray F is available in two models with diffusers available in black or white aluminum, or grey glass. It emits a gorgeous, diffused light. With the black and white finish, diffusers are lathe-shaped aluminum and painted white on the inside. The grey glass diffuser is hand-blown, overlaid glass with a glossy external finish. Ray F1: 50.39" H x 14.17" | Shade: 8.66"H Ray F2:67.59" H x 16.92" | Shade: 10.62" H

ø16.9" [9.0] [9.0]

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Download Mounting instructions ♣ PDF

Main specifications

Mounting	Floor Indoor dry location	
Environments		
Light Source Type	Bulb	
Light sources included	No	
Lamp category	Halogen	
Lamp type	Т	
Lamp holders	E26	
Number of lamps	1	
Power (W)	200	

Physical

Color	Grey Glass	
Length (in)	16.93	
Cord color	Black	
Cord length (in)	74.803	
Net weight (lb)	20.06	
Package volume (in)	26866.48	
IP internal	20	

https://professional.flos.com/en-US/us/product/ray-floor-2-fu592020/

FU592020









Photometric

Lighting type	Indirect, Direct	
Light distribution	Symmetric	
Extreme cut off	No	

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type A
Batteries inside	No



01.	Ray Suspension/Floor 2 glass	F5923020
	diffuser	
02.	Porcelain E26 Lamp holder	RF34592
03.	Kit of quantity 4 adjustable feet	RF5912100
04.	Ray Floor 2 diffuser support	RF15853
05.	4W -25W Black Led Dimmer	RF28209









F5923020

Ray Suspension/Floor 2 glass diffuser

RF3459

Porcelain E26 Lamp holder

RF5912100

Kit of quantity 4 adjustable feet

RF15853

Ray Floor 2 diffuser support



RF28209

4W -25W Black Led Dimmer