



# Ray Floor 2

Designed by Rodolfo Dordoni, 2006



Halogen - 200W

Designed by Rodolfo Dordoni in 2006, the Ray F floor lamp updates a classic shape to give it a decidedly contemporary edge. The steel tube structure of this modern floor lamp is welded, brushed, and chrome-plated, and its diffuser support disk is die-cast, polished, and chrome-plated with Zamak alloy. The lamp has a resistive dimmer wired on the cord, offering a 0-100% lighting adjustment. The power cord is a black PVC/PVC (flat) sheath. Inspiration behind the Design: Offering a fresh perspective on an iconic shape, Rudolfo Dordoni designed his modern drum diffuser to resemble a lighthouse. "The stand that supports the light source is an elementary structure," he says. "It is part lighthouse, part power pylon." Note: This lamp ships with an halogen bulb and it is compatible with LED bulbs. The Ray F is available in two models with diffusers available in black or white aluminum, or grey glass. It emits a gorgeous, diffused light. With the black and white finish, diffusers are lathe-shaped aluminum and painted white on the inside. The grey glass diffuser is hand-blown, overlaid glass with a glossy external finish. Ray F1: 50.39" H x 14.17" | Shade: 8.66"H Ray F2:67.59" H x 16.92" | Shade: 10.62" H

ø16.9" [2.3] [2.3] [2.3] [2.3]

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

# Download Mounting instructions ♣ PDF

## Main specifications

Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	Т
Lamp holders	E26
Number of lamps	1
Power (W)	200

## Physical

Color	Glossy White	
Length (in)	16.93	
Cord color	Black	
Cord length (in)	74.803	
Net weight (lb)	13.12	
Package volume (in)	26646.18	
IP internal	20	

https://professional.flos.com/en-US/us/product/ray-floor-2-fu592109/

FU592109





2





#### Photometric

Lighting type	Indirect, Direct	
Light distribution	Symmetric	
Extreme cut off	No	

#### Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type A
Batteries inside	No



01.	Ray Floor 2-Suspension diffuser	RF16083
02.	Porcelain E26 Lamp holder	RF34592
03.	Kit of quantity 4 adjustable feet	RF5912100
04.	Ray Floor 2 diffuser support	RF15853
05.	4W -25W Black Led Dimmer	RF28209









RF16083

Ray Floor 2-Suspension diffuser

RF34592

Porcelain E26 Lamp holder

RF5912100

Kit of quantity 4 adjustable feet

RF15853

Ray Floor 2 diffuser support



RF28209

4W -25W Black Led Dimmer