

## Romeo Outdoor C3 Pvc (91 cm) Panama

Designed by Philippe Starck



Light source not included.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

|              |                      |
|--------------|----------------------|
| Mounting     | Ceiling surface      |
| Environments | Outdoor wet location |
| Ilcos        | No                   |

### Physical

|                 |        |
|-----------------|--------|
| Colour          | Panama |
| Trim            | No     |
| Orientation     | Fixed  |
| Net weight (kg) | 7.5    |
| IP internal     | 55     |
| IP external     | 55     |



### Download

Mounting instructions




### Photometric Files

LDT / IES



|    |    |
|----|----|
| IP | IP |
| 55 | 55 |

### Schematic light drawing



Photometric

|                        |           |
|------------------------|-----------|
| Lighting type          | Direct    |
| Light distribution     | Symmetric |
| Beam angle C0-180 (°)  | 74        |
| Beam angle C90-270 (°) | 74        |


Electrical

|                    |         |
|--------------------|---------|
| Insulation class   | I       |
| Frequency (Hz)     | 50-60   |
| Main voltage (Vac) | 220-240 |
| Emergency type     | No      |

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K  
We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

Bulbs



NOT INCLUDED

RF26998  
LED 21W E27 2450lm 3000K  
DIMMER



NOT INCLUDED

RF30429  
LED Opal Lamp E27 21W 2700K  
A65 Dimmable