



# Skygarden 2

Designed by Marcel Wanders, Marcel Wanders studio, 2007




Halogen - 230W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy. Upper cable gland and blocking ring nut in black injection-molded PC. Shaped, adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lampholder and fixing support in PPS. Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment. Gray, injection-molded PC rose, painted the same color as the body.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Download  Mounting instructions	<b>⊥</b> PDF
Photometric Files	<u>↓</u> LDT
Technical Drawings	
Technical Drawings	<b>⊥</b> ZIP
_	₹ ZIP
2D	

### Main specifications

EAN	8059607012925
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	230

### Physical

Colour	Gold
Length (mm)	900
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	Gold
Canopy length/diameter (mm)	172
Canopy height (mm)	86
Net weight (kg)	29
Package height (mm)	680
Package width (mm)	1120
Package length (mm)	1120
Package volume (m3)	0.85
IP internal	20

























## Schematic light drawing



Luminous flux luminaire 4210 lm

Beam	Angle:	118
h(m)	E(lx)	D(m
1	729	3.3
2	182	6.72
3	81	10.08
4	46	13.4
5	29	16.79

### Photometric

Light distribution	Symmetric	
Extreme cut off	No	

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No




#### **NOT INCLUDED**

RF29388

LED T46 Lamp E27 20W 2700K Dimmable

### **Spare Parts**



01.	Skygarden 2 Gold ceiling rose	RF6420244
	assembly	
02.	Skygarden 2 Glass diffuser	RF6420100
	assembly	
03.	Kit of 5 or rings	RF05382





00000

RF6420244

Skygarden 2 Gold ceiling rose assembly

RF6420100

Skygarden 2 Glass diffuser assembly

RF05382

Kit of 5 or rings