

# FLOS

F1367039 Green

## Smithfield Suspension Pro

Designed by Jasper Morrison, 2009



45W - 2791lm - 2700K - CRI> 95

Suspension lamp with direct light. Aluminium body. Available in gloss black, matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700mm.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications


EAN	8059607015001
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	45
System power (W)	45
System flux (lm)	2791

### Physical

Colour	Green
Cord length (mm)	2700
Net weight (kg)	5.8
Package volume (m3)	0.16
IP internal	20



### Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

### Photometric Files

[LDT / IES](#)  LDT


### Technical Drawings

[3D](#)  ZIP

[Bim](#)  ZIP



## Schematic light drawing




## Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700
CRI>	95

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	200-240
LED voltage Vf (Vdc)	null
Driver	Integrated
Dimming type	Dimmable Push
Batteries inside	No

## Ecodesign and Energy Labelling




Replaceable (LED only)  
light source by a  
professional



Replaceable control  
gear by a professional

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | Green rose assembly                        | RF1367039 |
| 02. | Kit of 5 or rings                          | RF05382   |
| 03. | 2,7mt fep/pvc 5x0,75 transparent cable     | RF29934   |
| 04. | 3 mt steel cable ø1,2 with 19 winded wires | RF29665   |
| 06. | Methacrylate diffuser                      | RF19022   |

**DOWNLOAD**



RF1367039  
Green rose assembly




RF05382  
Kit of 5 or rings



RF29934  
2,7mt fep/pvc 5x0,75 transparent  
cable

FLOS

RF29665  
3 mt steel cable ø1,2 with 19  
winded wires



RF19022  
Methacrylate diffuser