



F025B3EAU30 Black

Spine 1 Ultra

Designed by Vincent Van Duysen, 2021




149lm - 3000K - CRI> 80

Power LED source included. Equipped with an integrated snoot for higher visual comfort: the asymmetrical cut visor is available as an accessory. Collimators are available as an accessory to modify the beam opening. Integrated electric power supply ON/OFF. Fixing plate included. The electrical connection is made on the inside of the plate by means of a watertight connector included. To guarantee its water tightness, it is recommended to use flexible cables designed for outdoor use. Ground spike for ground installations to be ordered separately.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8054793716237	
Mounting	Ground	
Environments	Outdoor wet location	
Light Source Type	LED	
Light sources included	Yes	
LED type	Power LED	
System power (W)	7.9	
Source flux (lm)	174	
System flux (lm)	149	

Physical

Color	Black
Rotation (°)	360
Longitudinal tilting (°)	270
Cord length (in)	196.850
Net weight (lb)	2.2
Package height (in)	4.72
Package width (in)	4.72
Package length (in)	12.2
Package volume (in)	272.41
IP internal	66
IP external	66

Download

ZIP
ZIP

Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	₹ ZIP

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**











IK 09

https://professional.flos.com/en-US/us/product/spine-1-ultra-f025b3eau30/

F025B3EAU30

Schematic light drawing



Beam	Beam Angle:	
h(m)	E(lx)	D(m)
1	760	0.91
2	190	1.81
3	84	2.72
4	48	3.63
5	30	4.53

Luminous flux luminaire 490 lm

Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	3000
CRI>	80

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	110-127
Driver	Integrated
Dimmable	No
Dimming type	Non Dimmable
Dimming interface	Not Dimmable

Accessories & Power Supply



OPTIONAL Accessory

F0257060000

Honeycomb Louvre



OPTIONAL Accessory

F0267010000

Ground Spike



OPTIONAL Accessory

F026Z050030

Visor



OPTIONAL Accessory

F029Z01000

Converter Spine 1 Optic Medium Flood



OPTIONAL Accessory

F0297011000

Converter Spine 1 Optic Flood



OPTIONAL Accessory

F0297012000

Converter Spine 1 Optic Wide Flood



OPTIONAL Accessory

F0297013000

Converter Spine 1 Optic Elliptic 1



OPTIONAL Accessory

F0297014000

Converter Spine 1 Optic Elliptic 2



OPTIONAL Accessory

F029Z015000

Converter Spine 1 Optic Wall Washer