

 F025G3EAU30 Black

Designed by Vincent Van Duysen, 2021



BOOK AN APPOINTMENT

|                        |                      |
|------------------------|----------------------|
| EAN                    | 8054793731988        |
| Mounting               | Ground               |
| Environments           | Outdoor wet location |
| Light Source Type      | LED                  |
| Light sources included | Yes                  |
| LED type               | Power LED            |
| System power (W)       | 7.9                  |
| Source flux (lm)       | 174                  |
| System flux (lm)       | 149                  |

|                          |        |
|--------------------------|--------|
| Color                    | Black  |
| Rotation (°)             | 360    |
| Longitudinal tilting (°) | 270    |
| Cord length (in)         | 0.197  |
| Net weight (lb)          | 1.98   |
| Package height (in)      | 7.48   |
| Package width (in)       | 9.65   |
| Package length (in)      | 11.02  |
| Package volume (in)      | 795.39 |
| IP internal              | 66     |
| IP external              | 66     |

Family spec sheet  ZIP

---

Mounting instructions  ZIP

LDT / IES  ZIP


2D  ZIP

---

3D  ZIP

This product contains a light source of energy efficiency class E

Schematic light drawing



Photometric

|                    |           |
|--------------------|-----------|
| Lighting type      | Direct    |
| Light distribution | Symmetric |
| CCT (K)            | 3000      |
| CRI>               | 80        |

Electrical

|                    |              |
|--------------------|--------------|
| Insulation class   | I            |
| Frequency (Hz)     | 50/60        |
| Main voltage (Vac) | 110-127      |
| Driver             | Integrated   |
| Dimmable           | No           |
| Dimming type       | Non Dimmable |
| Dimming interface  | Not Dimmable |

Notes

5 m neoprene cable (10 m upon request) for remote connection.

Accessories & Power Supply



REQUIRED  
Accessory

F026Z020030

Rod Ø20 mm h 200 mm



REQUIRED  
Accessory

F026Z030030

Rod Ø20 mm h 500 mm



OPTIONAL  
Accessory

F029Z010000

Converter Spine 1 Optic Medium  
Flood



OPTIONAL  
Accessory

F029Z011000

Converter Spine 1 Optic Flood



OPTIONAL  
Accessory

F029Z012000

Converter Spine 1 Optic Wide  
Flood



OPTIONAL  
Accessory

F029Z013000

Converter Spine 1 Optic Elliptic 1



OPTIONAL  
Accessory

F029Z014000

Converter Spine 1 Optic Elliptic 2



OPTIONAL  
Accessory

F029Z015000

Converter Spine 1 Optic Wall  
Washer



OPTIONAL  
Accessory

F025Z060000

Honeycomb Louvre



OPTIONAL  
Accessory

F025Z050030

Visor