



F02613FAU30 Black

Spine T 2 Ultra Elliptical 1

Designed by Vincent Van Duysen, 2021



Power LED source included. Equipped with an integrated snoot for higher visual comfort: the asymmetrical cut visor is available as an accessory. Collimators are available as an accessory to modify the beam opening. Integrated electric power supply ON/OFF and adjustable 1-10 V or DALI. Integrated support for pole fixing, for poles with a diameter between 60 and 120 mm and a maximum thickness of 3 mm. Equipped with a 5 m neoprene cable (10 m upon request) for remote connection. To guarantee its water tightness, it is recommended to use flexible cables designed for outdoor use.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8054793774763
Mounting	Pole Top
Environments	Outdoor wet location
Light Source Type	LED
Light sources included	Yes
LED type	Power LED
System power (W)	17
Source flux (lm)	0

Physical

Color	Black
Rotation (°)	360
Longitudinal tilting (°)	270
Cord length (in)	0.197
Net weight (lb)	5.51
Package height (in)	8.07
Package width (in)	10.43
Package length (in)	11.42
Package volume (in)	961.37
IP external	66



Download

Dominoud		
Family spec sheet	<u>↓</u> ZIP	
Mounting instructions	₹ ZIP	

Photometric Files

LDT / IES

J. ZIP

Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **F**















https://professional.flos.com/en-US/us/product/spine-t-2-ultra-elliptical-1-f02613fau30/

F02613FAU30

Schematic light drawing



Beam Angle:		9°
h(m) E(lx)	D(m)
1_	4320	0.16
2	1080	0.33
3	480	0.49
4	270	0.65
5	173	0.82

Luminous flux luminaire 744 lm

Photometric

Lighting type	Direct
Light distribution	Asymmetric
CCT (K)	3000
CRI>	80

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	110-127
Driver	Integrated
Dimmable	No
Dimming type	Non Dimmable
Dimming interface Not Dimmable	

Notes

5 m neoprene cable (10 m upon request) for remote connection.

Accessories & Power Supply



OPTIONAL Accessory

F026Z050030

Visor



OPTIONAL Accessory

F026Z060000

Honeycomb Louvre



OPTIONAL Accessory

F029702000

Converter Spine 2 Optic Medium Flood



OPTIONAL Accessory

F029Z02100

Converter Spine 2 Optic Flood



OPTIONAL Accessory

F029702200

Converter Spine 2 Optic Wide Flood



OPTIONAL Accessory

F0297023000

Converter Spine 2 Optic Elliptic 1



OPTIONAL Accessory

F0297024000

Converter Spine 2 Optic Elliptic 2



OPTIONAL Accessory

0297025000

Converter Spine 2 Optic Wall