

## Taccia (PMMA)

Designed by Achille and Pier Giacomo Castiglioni, 1962


28W - 2700K



Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent PMMA. Body in matt black or naturally anodized extruded aluminium. Base in nickel-plated metal. Electric cable of useful length 220 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

Mounting	Table
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED array
Power (W)	28

### Physical


Colour	Bronze
Length (mm)	190
Cord colour	Black
Cord length (mm)	2200
Net weight (kg)	7.6
Package volume (m3)	0.18
IP internal	20

### Download


Mounting instructions	Download PDF
Mounting instructions	Download PDF

### Ecodesign and Energy Labelling


This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user




Photometric

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700
Extreme cut off	No

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

Spare Parts



01.	Taccia LED transparent diffuser & reflector (PMMA)	F6609000
02.	White reflector	RF00780
03.	Anodized bronze base	F6608046
04.	Jack plug with cable and push dimmer	RF6608100
05.	Black plug assembly kit & 48V driver	RF6600130



F6609000  
Taccia LED transparent diffuser &  
reflector (PMMA)



RF00780  
White reflector



F6608046  
Anodized bronze base



RF6608100  
Jack plug with cable and push  
dimmer



RF6600130  
Black plug assembly kit & 48V  
driver