

The Tracking Magnet Recessed Profile Inner Mechanical Corner


Designed by FLOS Architectural, 2018



Electromechanical profile for recessed installation in plasterboard ceilings and walls, available in lengths from 1m to 3m.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Wall recessed, Ceiling recessed
Environments	Indoor dry location
Light sources included	no

Physical

Colour	Black
Trim	No
Field cuttable	No
Recessed depth (mm)	45
Length (mm)	55
Net weight (kg)	0.23
IP internal	20
IP external	20

Download

Mounting instructions

PDF



Electrical

Forward voltage (V)	48
Emergency	No

Notes

Inner mechanical corner. To create electrical continuity, order with the flexible intermediate connector.

Accessories & Power Supply



REQUIRED
Accessory

06.5008.14

The Tracking Magnet Recessed
Profile End Caps



REQUIRED
Accessory

Electrical

08.0614.14

The Tracking Magnet Profile
Intermediate Connector
Flexible/Electrical Corner



REQUIRED

Installation

08.8866.14

Fixed ceiling kit. 2 unit kit



REQUIRED

Installation

08.8867.14

Adjustable ceiling kit. 2 unit kit