


Toio Led

Designed by Achille and Pier Giacomo Castiglioni, 1962

LED retrofit - 23W



Its designers named it for the English word for "toy," for good reason: This inventive lamp inspires the imagination, blending an industrial style with a timeless and whimsical design. It's easy to see why this legendary favorite-designed by the famed Castiglioni brothers-has garnered so many awards, even earning a place in the permanent collection at the Museum of Modern Art in New York. The Toio floor lamp has an enamel steel base that supports a hexagon shaped, nickel-plated brass stem. Along the stem are fishing rod rings used to guide the electrical cord from the bulb to the transformer. A cleat on the base, like that found on a boat or ship, serves as a functional element designed to keep the cord neatly coiled in when the lamp is adjusted to a lower height. In this version Toio comes with an LED bulb and provides indirect light. Adjustable height. Available in black, red or white finish. Inspiration behind the design: The contemporary floor lamp was designed by brothers Achille and Pier Giacomo Castiglioni, who were inspired by a car's headlight.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607035894
Mounting	Floor
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp type	PAR56
Lamp holders	Gx16d
Number of lamps	1
Power (W)	23

Physical

Color	Red
Length (in)	6.69
Cord color	Black
Cord length (in)	97.244
Net weight (lb)	19.4
Package height (in)	63.78
Package width (in)	10.24
Package length (in)	11.42
Package volume (in)	7453.96
IP internal	20

Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D



3D






IP
20

IK
00

Schematic light drawing



h(m)	E(lx)	D(m)
1	751	2.53
2	188	5.06
3	83	7.59
4	47	10.12
5	30	12.64


Photometric

Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	No
Dimming interface	Switch Integrated (Not Dimmable)
Plug type	Type A
Batteries inside	No

Bulbs




INCLUDED

RF28283

Toio Led Lamp

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Nickel plated brass cage | RF02774 |
| 02. | Electrical wiring from transformer to bulb | RF04607 |
| 03. | Rod | RF02775 |
| 04. | Lamp base | RF02581 |
| 07. | Toio Electrical Wiring Assembly With Switch And 2 Pole Plug | RF19220 |
| 08. | Black d/661 on-off switch | RF04392 |
| 09. | Wire loop assembly | RF7600100 |



RF02774

Nickel plated brass cage



RF04607

Electrical wiring from transformer to bulb



RF02775

Rod



RF02581

Lamp base



RF19220

Toio Electrical Wiring Assembly
With Switch And 2 Pole Plug



RF04392

Black d/661 on-off switch



RF7600100

Wire loop assembly