



Wan Suspension

Designed by Johanna Grawunder, 2006



Halogen

Suspension lamp providing direct lighting. Aluminum body, available in shiny white, shiny black and shiny green finishes. Low glare shield. Provided by two different ring due to fix the safety tempered glass, in black and green.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Suspension	
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp holders	G9	
Ilcos	HSG	
Number of heads	1	

Physical

Colour	White
Cord length (mm)	2800
Net weight (kg)	0.85
Package height (mm)	175
Package width (mm)	220
Package length (mm)	190
Package volume (m3)	0.01



Download

Mounting instructions	$\overline{\gamma}$	PDF
nare Parts	\downarrow	PDF

Photometric Files

LDT / IES

业 LDT

Technical Drawings

2D	₹ ZIP
3D	⊥ ZIP
⋒ Bim	₹ ZIP

















https://professional.flos.com/en/global/product/wan-suspension-f9560009/

F9560009

Schematic light drawing



Beam Angle:		68°
h(m)	E(lx)	D(m)
1	147	1.35
2	37	2.70
3	16	4.05
4	9	5.40
5	6	6.75

Luminous flux luminaire 460 lm

Photometric

Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No




NOT INCLUDED

RF18863

Halogen Lamp G9 33W 2700K HALOPIN Dimmable

Spare Parts



01.	Black rose assembly	RF9560130
02.	G9 lamp holder with inner ring	RF9560200
	and 2,5mt of eletrical cable	
03.	Wan glass assembly	RF9550200
04.	External ring	RF13990
05.	Reflector / ring assembly	RF9550130

DOWNLOAD









RF9560130

Black rose assembly

G9 lamp holder with inner ring and 2,5mt of eletrical cable

RF9550200

Wan glass assembly

RF13990

External ring



RF9550130

Reflector / ring assembly