

# FLOS

 F9513044 Grey Cable/Gold Ring

## Wirering Grey

Designed by Formafantasma, 2018

16W - 712lm - 2700K - CRI> 90

An exercise in reduction, stripped back to its most essential elements, offering beautifully rendered light from a spectacular wall sconce like you have never seen. The wire holds a simple ring fitted with an LED strip. The cable and ring are available in different color combinations and a range of finishes. Inspiration behind the design: Elevating what is hidden, showcasing the lamp's wire, we appreciate its sculptural beauty.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

Mounting	Wall
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	16
System flux (lm)	712

### Physical

Color	Grey Cable/Gold Ring
Length (in)	12.2
Cord length (in)	98.425
Net weight (lb)	2.08
Package volume (in)	1044.24
IP internal	20



### Download

Mounting instructions [Download PDF](#)

### Photometric Files

LDT / IES [Download LDT](#)


### Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



Schematic light drawing



Photometric




Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical




Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 24V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

Spare Parts



02.	Wirering Ring assembly	RF26677
03.	Wirering Electrical mounting body assembly	RF26649
04.	Wirering Electrical mounting assembly with dimmer	RF26645
05.	Black plug assembly kit & 24V driver	RF6600230



RF26677

Wirering Ring assembly



RF26649

Wirering Electrical mounting body assembly



RF26645

Wirering Electrical mounting assembly with dimmer



RF6600230

Black plug assembly kit & 24V driver