



Designed by FLOS Architectural, 2023




58.5W - 5201lm - 3000K - CRI> 90 - Beam° 66

Suspension luminaire. Up&Down emission. High-efficiency light source. Driver not included (accessory kit for remote or surface driver). For Non Dimming models, you can configure the Up&Down luminous flux in 70/30 and 40/60 ratios (select the accessory kit for the driver concerned). Adjustable suspension height. Mechanical union module available for modular lines for various units. UGR<19. EN12464 - cd/m2 @ 65°<3000 compliant. Casambi, maximum distance between fixtures: 50m.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Environments	Indoor dry location
Light source type	LED
Light sources included	yes
LED type	Top LED
Number of lamps	1
Power (W)	58.5
Source flux (lm)	6471
Lumen Output (lm)	5201

Physical

Colour	White
Cord colour	White
Net weight (kg)	2.09
IP internal	20

Download

Mounting instructions



Photometric Files

LDT / IES



Technical Drawings

2D	♣ ZIP
3D	<u>↓</u> ZIP









https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://profession-updown-high-efficiency-casambi-05.5840.40.cb/https://

05.5840.40.CB

Schematic light drawing



Bean	n Angle:	- 65
h(m)	E(lx)	D(m
1	2563	1.3
2	641	2.6
3	285	3.9
4	160	5.2

Photometric

Beam Angle: - 65		
h(m) E(lx)	D(m)
1_	2563	1.31
2	641	2.61
3	285	3.92
4	160	5.23
5	103	6.54

Dimmable

Electrical		
Main voltage (Vac)	220-240	
Power supply	Remote	_

Yes

Dimming	interface
0	

Power supply type

Remote Dimmable (Dimmer Not included)

Dimmable Casambi

Lighting type	Total	

Light distribution	Symmetric
CCT (K)	3000
CRI>	90
Rf fidelity index	89
Rg gamut index	103
LED Life / Failure Ratio	L80B50>60.000h_Tc85°C
Beam angle C0-180 (°)	66
Beam angle C90-270 (°)	65
Extreme cut off	Yes
UGR _L	<16

Ecodesign and Energy

Replaceable (LED only) light source by a professional

Replaceable control gear by a professional

Labelling

Accessories & Power Supply



REQUIRED Power supply

Installation

08.0901.AP

Remote Power Supply Kit for Workmates Suspension Up&Down - Non dimmable



REQUIRED
Power supply

Installation

08.0901.14

Remote Power Supply Kit for Workmates Suspension Up&Down - Non dimmable



REQUIRED Power supply

Installation

08.0901.40

Remote Power Supply Kit for Workmates Suspension Up&Down - Non dimmable



REQUIRED
Power supply

Installation

08.0904.AP

Remote Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED Power supply

Installation

08.0904.14

Remote Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED
Power supply

Installation

08.0904.40

Remote Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED
Power supply

Electrical

08.0911.AP

Surface Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable



REQUIRED
Power supply

Electrical

8.0911.14

Surface Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable

https://professional.flos.com/en/global/product/workmates-suspension-updown-high-efficiency-casambi-05.5840.40.cb/

05.5840.40.CB



REQUIRED Power supply

Electrical

08 0911 40

Surface Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable



REQUIRED
Power supply

Electrical

08.0914.AF

Surface Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED Power supply

Electrical

08.0914.14

Surface Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED Power supply

Electrical

08 0914 40

Surface Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED Power supply

08.0921.AP

Recessed Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable



REQUIRED
Power supply

08.0921.14

Recessed Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable



REQUIRED
Power supply

08.0921.40

Recessed Power Supply Kit for Workmates Suspension Up&Down - Non Dimmable



REQUIRED
Power supply

08.0924.AP

Recessed Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED Power supply

08 0924 14

Recessed Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali



REQUIRED
Power supply

08.0924.40

Recessed Power Supply Kit for Workmates Suspension Up&Down - Dimmable Dali